

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	88500	computer with printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:38
S2	488	(packet with format\$3 with (instruction.task thread))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:20
S3	14850	(postscript pcl)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:21
S4	21033495	@ad<="20010802"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:21
S5	2	S1 and S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:25
S6	2	S4 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:30
S7	2	S6 and file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:32
S8	1	S6 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:32

S9	3	(printer same (postscript and pcl and (idl\$3 sleep\$3))) and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:35
S10	2	S9 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:35
S11	749	(computer cpu processor) with personalit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:39
S12	31	S11 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:39
S13	8	S12 and printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:39
S14	7	S4 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:40
S15	1	S14 and (pcl postscript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:40
S16	88575	computer with printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 09:57

S17	489	(packet with format\$3 with (instruction task thread))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 09:57
S18	14859	(postscript pcl)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 09:57
S19	21034203	@ad<="20010802"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 09:57
S20	2	S16 and S17 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 09:57
S21	2	S19 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 09:57
S22	2	S21 and file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 09:57
S23	1	S21 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 09:57
S24	3	(printer same (postscript and pcl and (idl\$3 sleep\$3))) and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 09:57

S25	2	S24 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 09:57
S26	749	(computer cpu processor) with personalit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 09:57
S27	31	S26 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 09:57
S28	8	S27 and printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 09:57
S29	7	S19 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 09:57
S30	1	S29 and (pcl postscript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 09:57
S31	1	(US-6321266-\$).did.	USPAT	OR	OFF	2005/02/01 11:46
S32	1	S31 and (format\$3 task packet)	USPAT	OR	ON	2005/02/01 14:04
S33	1	(US-6321266-\$).did.	USPAT	OR	OFF	2005/02/01 14:04
S34	1	S33 and packet	USPAT	OR	ON	2005/02/01 14:23
S35	1	S33 and packet and (idle sleep\$3)	USPAT	OR	ON	2005/02/01 14:07
S36	0	S33 and (packet same (idle sleep\$3))	USPAT	OR	ON	2005/02/01 14:05
S37	205	identif\$4 with packet with (idl\$3 sleep\$3)	US-PGPUB; USPAT	OR	ON	2005/02/01 14:08

S38	21034203	@ad<="20010802"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 14:08
S39	153	S37 and S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:06
S40	1	"20030033352"	US-PGPUB; USPAT	OR	OFF	2005/02/01 15:59
S41	1	S40 and (result adj file)	US-PGPUB; USPAT	OR	ON	2005/02/01 14:10
S42	1	S33 and ((transmit\$3 send\$3) with packet)	USPAT	OR	ON	2005/02/01 14:37
S43	1	S33 and ((transmit\$3 send\$3) with (results file))	USPAT	OR	ON	2005/02/01 15:01
S44	1	S33 and (postscript pcl)	USPAT	OR	ON	2005/02/01 15:53
S45	1	S33 and (ip protocol)	USPAT	OR	ON	2005/02/01 15:11
S46	1	S33 and ((transmit\$3 send\$3) with (file executable))	USPAT	OR	ON	2005/02/01 15:14
S47	1	S33 and (idle)	USPAT	OR	ON	2005/02/01 15:21
S48	0	S33 and wrap\$3	USPAT	OR	ON	2005/02/01 15:22
S49	1	S33 and (postscript)	USPAT	OR	ON	2005/02/01 15:55
S50	1	S33 and (file with execut\$6)	USPAT	OR	ON	2005/02/01 15:56
S51	1	S33 and (file with (instruction task execut\$6))	USPAT	OR	ON	2005/02/01 15:56
S52	1	S40 and personalities	US-PGPUB; USPAT	OR	ON	2005/02/01 16:19
S53	1	S40 and (identif\$5)	US-PGPUB; USPAT	OR	ON	2005/02/01 16:19
S54	1	S33 and (identif\$5)	US-PGPUB; USPAT	OR	ON	2005/02/01 16:20
S55	1	S33 and (task with (process\$3 execut\$3 device))	US-PGPUB; USPAT	OR	ON	2005/02/01 16:38
S56	0	S33 and (task with instruction)	US-PGPUB; USPAT	OR	ON	2005/02/01 16:38
S57	1	(US-6396594-\$).did.	USPAT	OR	OFF	2005/02/01 17:03
S58	0	S57 and wrap\$4	USPAT	OR	OFF	2005/02/01 17:03

S59	4	S39 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:05
S60	21034203	@ad<="20010802"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:05
S61	4	S59 and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:05
S62	153	S39 and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:08
S63	2	(identif\$5 near2 packet) with (processor near2 (idl\$3 sleep\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:19
S64	2	S60 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:09
S65	93	(identif\$5 near2 packet) with (idl\$3 sleep\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:17
S66	62	S60 and S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:10

S67	2	(identifying adj packet) near3 (idl\$3 sleep\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:17
S68	12	(identifying adj3 packet) near3 (idl\$3 sleep\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:17
S69	11	S60 and S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:18
S70	8	(identif\$5 near2 packet) with ((state processor) near3 (idl\$3 sleep\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:19
S71	8	S60 and S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:23
S72	21	(process\$3 near3 (while during) near3 (idl\$3 sleep\$3)) same packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:30
S73	17	S60 and S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:25
S74	1	S73 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:25

S75	22	((process\$3 identif\$4) near3 (while during) near3 (idl\$3 sleep\$3)) same packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:34
S76	17	S60 and S75	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:27
S77	1	S76 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:27
S78	435	(process\$3 near3 (idl\$3 sleep\$3)) same packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:30
S79	112	S78 and (computer with (device printer)) and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:32
S80	21	((process\$3) near3 (while during) near3 (idl\$3 sleep\$3)) same packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:34
S81	17	S60 and S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:40
S82	1	S40 and wrap\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:53

S83	314	wrapping adj2 packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:54
S84	17	(wrapping adj2 packet) and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:54
S85	15	S60 and S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:11
S86	1	S33 and interpret\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:14
S87	12	(java adj2 interpret\$6) same packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:24
S88	8	S60 and S87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:16
S89	7	S88 and (device printer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:16
S90	14	(java adj2 interpret\$6) and (jvm (java adj virtual adj machine)) and ((send\$3 transmit\$4) near3 packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:27

S91	8	S60 and S90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:27
S92	1	S91 and printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:27
S93	134	((java adj2 interpret\$6) jvm (java adj virtual adj machine)) and ((send\$3 transmit\$4) near3 packet) and printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:28
S94	99	S60 and S93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:29
S95	1	S33 and printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:33
S96	0	S33 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:33
S97	1	(US-20020087881-\$).did.	US-PGPUB	OR	OFF	2005/02/01 18:34
S98	0	S97 and java	USPAT	OR	OFF	2005/02/01 18:34